

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	100334	(sens\$3 detect\$3 measur\$3 determin\$5) with (shaft axle) with (position angle location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:47
L2	9353	1 and (reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 12:03
L3	8930	2 and gear\$3 same (shaft axle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:17
L4	3831	3 and ("2" two second additional plural\$3 multipl\$3) near5 (encoder sens\$3 hall magneto\$1 resist\$4 detect\$3 probe transducer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:42
L10	2513	324/207.21,207.25.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:38
L11	18251	324/207.2,207.11,207.12,207.13,207.15, 207.16,207.17,207.21,207.22,207.23,207.25,260,261,160-180.ccls. 33/1PT,1N.ccls. 310/68B,168,154.29,156.05,169,170.ccls. 318/661.ccls. 123/612,617.ccls. 180/400.ccls. 341/15.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 12:01
L12	306	11 and (reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 same (shaft axle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:43

EAST Search History

L13	25	12 and (shield\$3 screen\$3 block\$3 cancel\$5) near3 (field flux magnetic electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:46
L14	182	12 and ("2" two second additional plural\$3 multipl\$3) near5 (encoder sens\$3 hall magneto\$1 resist\$4 detect\$3 probe transducer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:44
L15	44	14 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:43
L16	391	11 and (reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3 and (shaft axle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:43
L17	326	16 and (encoder sens\$3 hall magneto\$1 resist\$4 detect\$3 probe transducer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:44
L18	178	17 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:44
L19	151	3 and (shield\$3 screen\$3 block\$3 cancel\$5) near3 (field flux magnetic electromagnetic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:46

EAST Search History

L20	42	19 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:47
L21	14	10 and ((shaft axle) with (position angle location) and (reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:49
L22	99	(HAHN near3 ALEXANDER).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 11:49
L23	2674	73/118.1,1.75.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 12:03
L24	86	23 and (reduc\$3 reduction slow\$3 decreas\$3) near3 gear\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/09 12:04